



# ALPHA





Max. 95 % RH  
Enclosure type 2





Min./Max. 36 °F / 230 °F  
(+2 °C / +110 °C)





Max. 175 PSI  
(12 bar)



Min./Max. 32 °F / 131 °F  
(0 °C / +55 °C)



< (Lp) 25 dB(A)






















**i** Fault finding  
Détection de défauts de fonctionnement  
Búsqueda de fallas



**Canada**

GRUNDFOS Canada inc.  
2941 Brighton Road  
Oakville, Ontario  
L6H 6C9  
Tel.: +1-905 829 9533  
Fax: +1-905 829 9512

**U.S.A.**

GRUNDFOS Water Utility Headquarters  
856 Koomey Road  
Brookshire, Texas 77423 USA

GRUNDFOS CBS Inc.  
902 Koomey Road  
Brookshire, TX 77423 USA  
Phone: 281-994-2700  
Toll Free: 1-800-955-5847  
Fax: 1-800-945-4777

GRUNDFOS Pumps Corporation  
9300 Loiret Boulevard  
Lenexa, Kansas 66219 USA  
Tel.: +1 913 227 3400  
Fax: +1 913 227 3500

**Mexico**

Bombas GRUNDFOS de México  
S.A. de C.V.  
Boulevard TLC No. 15  
Parque industrial Stiva Aeropuerto  
Apodaca, N.L. 66600  
Tel.: +52-81-8144 4000  
Fax: +52-81-8144 4010

Addresses Revised 04.2021

**92719192** 10.2022 / **ECM:** 1353319



**GRUNDFOS Holding A/S**  
Poul Due Jensens Vej 7  
DK-8850 Bjerringbro  
Tel: +45 87 50 14 00

[www.grundfos.com](http://www.grundfos.com)

**GRUNDFOS** 

Trademarks displayed in this material, including but not limited to Grundfos and the Grundfos logo are registered trademarks owned by The Grundfos Group. All rights reserved.

© 2022 Grundfos Holding A/S, all rights reserved.